

CONSTANT CURRENT REGULATORS

| MATERIAL CODE | 5KW & 10KW CONSTANT CURRENT REGULATORS | MILD STEEL | STAINLESS STEEL | INTERNAL SWITCH | UNDER CURRENT RELAY | POLE MOUNT | GROUND, PAD OR VAULT MOUNT |
|------------------|---|---------------|--------------------|--------------------|---------------------------|---------------|-------------------------------------|
| 052466CPH | 5KW 2400V 6.6A CPH Mild Steel, 2 HV & 2 LV Sidewall Bushings | X | | | | X | X |
| 052466CSPH | 5KW 2400V 6.6A CSPH Mild Steel, 2 HV & 2 LV Sidewall Bushings, Switch | X | | X | X | X | X |
| 052466CSPH SS | 5KW 2400V 6.6A CSPH STAINLESS OPTION 2 HV & 2 LV Sidewall Bushings, Switch | | X | X | X | X | X |
| 051266CPH | 5KW 12000V 6.6A CPH Mild Steel, 2 HV Cover Bushings & 2 LV Sidewall Bushings | X | | | | X | X |
| 051266CSPH | 5KW 12000V 6.6A CSPH Mild Steel, 2 HV Cover Bushings & 2 LV Sidewall Bushings, Switch | X | | X | X | X | X |
| 051266CSPH SS | 5KW 12000V 6.6A CSPH STAINLESS OPTION 2 HV & 2 LV Sidewall Bushings, Switch | | X | X | X | X | X |
| 051266CSMH | 5KW 12000V 6.6A CSMH SUBWAY TYPE Stainless, 4 ESNA Bushings, Switch | | X | X | X | | X |
| 102466CPH | 10KW 2400V 6.6A CPH Mild Steel, 2 HV & 2 LV Sidewall Bushings | X | | | | X | X |
| 102466CSPH | 10KW 2400V 6.6A CSPH Mild Steel, 2 HV & 2 LV Sidewall Bushings, Switch | X | | X | X | X | X |
| 102466CSPH SS | 10KW 2400V 6.6A CSPH STAINLESS OPTION 2 HV & 2 LV Sidewall Bushings, Switch | | X | X | X | X | X |
| 102466CSMH | 10KW 2400V 6.6A CSMH SUBWAY TYPE Stainless, 4 ESNA Cover Bushings, Switch | | X | X | X | | X |
| 104866CPH | 10KW 4800V 6.6A CPH Mild Steel, 2 HV & 2 LV Sidewall Bushings | X | | | | X | X |
| 104866CSPH | 10KW 4800V 6.6A CSPH Mild Steel, 2 HV & 2 LV Sidewall Bushings, Switch | X | | X | X | X | X |
| 104866CSPH SS | 10KW 4800V 6.6A CSPH STAINLESS OPTION 2 HV & 2 LV Sidewall Bushings, Switch | X | | X | X | X | X |
| 101266CPH | 10KW 12000V 6.6A CPH Mild Steel, 2 HV Cover Bushings & 2 LV Sidewall Bushings | X | | | | X | X |
| 101266CSPH | 10KW 12000V 6.6A CSPH Mild Steel, 2 HV Cover Bushings & 2 LV Sidewall Bushings, Switch | X | | X | X | X | X |
| 101266CSPH SS | 10KW 12000V 6.6A CSPH STAINLESS OPTION 2 HV & 2 LV Sidewall Bushings, Switch | | X | X | X | X | X |
| 101266CSMH | 10KW 12000V 6.6A CSMH SUBWAY TYPE Stainless, 4 ESNA Cover Bushings, Switch | | X | X | X | | X |

CONSTANT CURRENT REGULATORS

| MATERIAL CODE | 12.5KW & 15KW CONSTANT CURRENT REGULATORS | MILD STEEL | STAINLESS STEEL | INTERNAL SWITCH | UNDER CURRENT RELAY | POLE MOUNT | GROUND, PAD OR VAULT MOUNT |
|----------------|--|------------|-----------------|-----------------|---------------------|------------|----------------------------|
| 1252466CPH | 12.5KW 2400V 6.6A CPH Mild Steel, 2 HV & 2 LV Sidewall Bushings | X | | | | X | X |
| 125466CSPH | 12.5 KW 2400V 6.6A CSPH Mild Steel, 2 HV & 2 LV Sidewall Bushings, Switch | X | | X | X | X | X |
| 125466CSPH SS | 12.5 KW 2400V 6.6A CSPH STAINLESS OPTION 2 HV & 2 LV Sidewall Bushings, Switch | | X | X | X | X | X |
| 125466CSMH | 12.5 KW 2400V 6.6A CSMH SUBWAY TYPE 2 HV & 2 LV Sidewall Bushings, Switch | | X | X | X | | X |
| 1254866CPH | 12.5 KW 4800V 6.6A CPH Mild Steel, 2 HV & 2 LV Sidewall Bushings | X | | | | X | X |
| 1254866CSPH | 12.5 KW 4800V 6.6A CSPH Mild Steel, 2 HV & 2 LV Sidewall Bushings, Switch | X | | X | X | X | X |
| 1254866CSPH SS | 12.5 KW 4800V 6.6A CSPH STAINLESS OPTION 2 HV & 2 LV Sidewall Bushings, Switch | | X | X | X | X | X |
| 1254866CSMH | 12.5 KW 4800V 6.6A CSMH SUBWAY TYPE Stainless, 4 ESNA Cover Bushings, Switch | | X | X | X | | X |
| 1251266CPH | 12.5 KW 12000V 6.6A CPH Mild Steel, 2 HV Cover Bushings & 2 LV Sidewall Bushings | X | | | | X | X |
| 1251266CSPH | 12.5 KW 12000V 6.6A CSPH Mild Steel, 2 HV Cover Bushings & 2 LV Sidewall Bushings, Switch | X | | X | X | X | X |
| 1251266CSPH SS | 12.5 KW 12000V 6.6A CSPH STAINLESS OPTION 2 HV & 2 LV Sidewall Bushings, Switch | | X | X | X | X | X |
| 1251266CSMH | 12.5 KW 12000V 6.6A CSMH SUBWAY TYPE Stainless, 4 ESNA Cover Bushings, Switch | | X | X | X | | X |
| 152466CPH | 15KW 2400V 6.6A CPH Mild Steel, 2 HV & 2 LV Sidewall Bushings | X | | | | X | X |
| 152466CSPH | 15KW 2400V 6.6A CSPH Mild Steel, 2 HV & 2 LV Sidewall Bushings, Switch | X | | X | X | X | X |
| 152466CSPH SS | 15KW 2400V 6.6A CSPH STAINLESS OPTION 2 HV & 2 LV Sidewall Bushings, Switch | | X | X | X | X | X |
| 152466CSMH | 15KW 2400V 6.6A CSMH SUBWAY TYPE Stainless, 4 ESNA Cover Bushings, Switch | | X | X | X | | X |
| 151266CPH | 15KW 12000V 6.6A CPH Mild Steel, 2 HV Cover Bushings & 2 LV Sidewall Bushings | X | | | | X | X |
| 151266CSPH | 15KW 12000V 6.6A CSPH Mild Steel, 2 HV Cover Bushings & 2 LV Sidewall Bushings, Switch | X | | X | X | X | X |
| 151266CSPH SS | 15KW 12000V 6.6A CSPH STAINLESS OPTION 2 HV & 2 LV Sidewall Bushings, Switch | | X | X | X | X | X |
| 151266CSMH | 15KW 12000V 6.6A CSMH SUBWAY TYPE Stainless, 4 ESNA Cover Bushings, Switch | | X | X | X | | X |

CONSTANT CURRENT REGULATORS

| MATERIAL CODE | 20KW & 25KW CONSTANT CURRENT REGULATORS | MILD STEEL | STAINLESS STEEL | INTERNAL SWITCH | UNDER CURRENT RELAY | POLE MOUNT | GROUND, PAD OR VAULT MOUNT |
|---------------|--|------------|-----------------|-----------------|---------------------|------------|----------------------------|
| 202466CPH | 20KW 2400V 6.6A CPH Mild Steel, 2 HV & 2 W Sidewall Bushings | X | | | | X | X |
| 202466CSPH | 20KW 2400V 6.6A CSPH Mild Steel, 2 HV & 2 W Sidewall Bushings, Switch | X | | X | X | X | X |
| 202466CSPH SS | 20KW 2400V 6.6A CSPH STAINLESS OPTION 2 HV & 2 LV Sidewall Bushings, Switch | | X | X | X | X | X |
| 202466CMH | 20KW 2400V 6.6A CMH Stainless, 4 ESNA Cover Bushings | | X | | | X | X |
| 202466CSMH | 20KW 2400V 6.6A CSMH SUBWAY TYPE Stainless, 4 ESNA Cover Bushings, Switch | | X | X | X | | X |
| 201266CPH | 20KW 12000V 6.6A CPH Mild Steel, 2 HV Cover Bushings & 2 W Sidewall Bushings | X | | | | X | X |
| 201266CSPH | 20KW 12000V 6.6A CSPH Mild Steel, 2 HV Cover Bushings & 2 W Sidewall Bushings, Switch | X | | X | X | X | X |
| 201266CSPH SS | 20KW 12000V 6.6A CSPH STAINLESS OPTION 2 HV & 2 LV Sidewall Bushings, Switch | | X | X | X | X | X |
| 201266CSMH | 20KW 12000V 6.6A CSMH SUBWAY TYPE Stainless, 4 ESNA Cover Bushings, Switch | | X | X | X | | X |
| 252466CPH | 25KW 2400V 6.6A CPH Mild Steel, 2 HV & 2 W Sidewall Bushings | X | | | | X | X |
| 252466CSPH | 25KW 2400V 6.6A CSPH Mild Steel, 2 HV & 2 W Sidewall Bushings, Switch | X | | X | X | X | X |
| 252466CSPH SS | 25KW 2400V 6.6A CSPH STAINLESS OPTION 2 HV & 2 LV Sidewall Bushings, Switch | X | | X | X | X | X |
| 252466CSMH | 25KW 2400V 6.6A CSMH SUBWAY TYPE Stainless, 4 ESNA Cover Bushings, Switch | | X | X | X | | X |
| 251266CPH | 25KW 12000V 6.6A CPH Mild Steel, 2 HV Cover Bushings & 2 W Sidewall Bushings | X | | | | X | X |
| 251266CSPH | 25KW 12000V 6.6A CSPH Mild Steel, 2 HV Cover Bushings & 2 W Sidewall Bushings, Switch | X | | X | X | X | X |
| 251266CSPH SS | 25KW 12000V 6.6A CSPH STAINLESS OPTION 2 HV & 2 LV Sidewall Bushings, Switch | | X | X | X | X | X |

CONSTANT CURRENT REGULATORS

| MATERIAL CODE | 30KW, 33KW & 40KW CONSTANT CURRENT REGULATORS | MILD STEEL | STAINLESS STEEL | INTERNAL SWITCH | UNDER CURRENT RELAY | POLE MOUNT | GROUND, PAD OR VAULT MOUNT |
|---------------|--|------------|-----------------|-----------------|---------------------|------------|----------------------------|
| 302466CPH | 30KW 2400V 6.6A CPH Mild Steel, 2 HV & 2 W Sidewall Bushings | X | | | | X | X |
| 302466CSPH | 30KW 2400V 6.6A CSPH Mild Steel, 2 HV & 2 W Sidewall Bushings, Switch | X | | X | X | X | X |
| 302466CSPH SS | 30KW 2400V 6.6A CSPH STAINLESS OPTION 2 HV & 2 LV Sidewall Bushings, Switch | | X | X | X | X | X |
| 302466CMH | 30KW 2400V 6.6A CMH SUBWAY TYPE Stainless, 4 ESNA Cover Bushings | | X | | | X | X |
| 302466CSMH | 30KW 2400V 6.6A CSMH SUBWAY TYPE Stainless, 4 ESNA Cover Bushings, Switch | | X | X | X | | X |
| 302420CPH | 30KW 2400V 20A CPH Mild Steel, 2 HV & 2 W Sidewall Bushings | X | | | | X | X |
| 302420CSPH | 30KW 2400V 20A CSPH Mild Steel, 2 HV & 2 W Sidewall Bushings, Switch | X | | X | X | X | X |
| 302420CSPH SS | 30KW 2400V 20A CSPH STAINLESS OPTION 2 HV & 2 LV Sidewall Bushings, Switch | | X | X | X | X | X |
| 302420CMH | 30KW 2400V 20A CMH SUBWAY TYPE Stainless, 4 ESNA Cover Bushings | | X | | | | X |
| 302420CSMH | 30KW 2400V 20A CSMH SUBWAY TYPE Stainless, 4 ESNA Cover Bushings, Switch | | X | X | X | | X |
| 304166CPH | 30KW 4160V 6.6A CPH Mild Steel, 2 HV & 2 W Sidewall Bushings | X | | | | X | X |
| 304166CSPH | 30KW 4160V 6.6A CSPH Mild Steel, 2 HV & 2 W Sidewall Bushings, Switch | X | | X | X | X | X |
| 304166CSPH SS | 30KW 4160V 6.6A CSPH STAINLESS OPTION 2 HV & 2 LV Sidewall Bushings, Switch | | X | X | X | X | X |
| 301266CPH | 30KW 12000V 6.6A CPH Mild Steel, 2 HV Cover Bushings & 2 W Sidewall Bushings | X | | | | X | X |
| 301266CSPH | 30KW 12000V 6.6A CSPH Mild Steel, 2 HV Cover Bushings & 2 W Sidewall Bushings, Switch | X | | X | X | X | X |
| 301266CSPH SS | 30KW 12000V 6.6A CSPH STAINLESS OPTION 2 HV & 2 LV Sidewall Bushings, Switch | | X | X | X | X | X |
| 301266CSMH | 30KW 12000V 6.6A CSMH SUBWAY TYPE Stainless, 4 ESNA Cover Bushings, Switch | | X | X | X | | X |
| 334866CPH | 33KW 4800V 6.6A CPH Mild Steel, 2 HV & 2 W Sidewall Bushings | X | | | | X | X |
| 402420CPH | 40KW 2400V 20A CPH Mild Steel, 2 HV & 2 W Sidewall Bushings | X | | | | X | X |